

OPERATION GUIDE

MODULE KVW100+



Edition 2015

LIESTORES

INSTALL AND UNINSTALL

1. You should seek the vehicle OBDII port. Usually it found in the center console or in the fuse box.



2. Turn ON the Ignition Key (It is not necessary to start up the engine).
3. Plug the Module KVV100+ on OBDII port. Asure It is plugged firmly. The Module KVV100+ emits a long beep sound to indicate that it is properly connected. Check that the LED Module is ON.
4. Module KVV100+ is installed automatically on the control unit of the vehicle. This process will take about 2 minutes. At the end of the installation process will be hearing three short beeps, this means that the process was successful.
5. Then you can already remove Module KVV100+. Switch the ignition OFF and check the function of up/down windows from the controller works properly.

NOTES

- If the installation operation has not been successful, the KVV100 + continuously emit short beeps. In that case it will be to remove the module and wait a few seconds to repeat the operation.
- Module KVV100 + is a single-use so that once installation done correctly, will be disabled and can only be used to perform the uninstall procedure if necessary.
- If the operation is not performed correctly, you can repeat it 6 times before the module becomes disabled.

UNINSTALL

1. Connect the Module KVV100 + that has previously been used for the installation process on OBDII port.
2. Place the ignition switch in the ON position.
3. Press and hold the button "Lock" of the Remote control central locking vehicle, until you hear a beep sound from the module, then release the button.
4. Press and hold the button "Unlock" of the Remote control central locking vehicle, until you hear a beep sound from the module, then release the button.
5. Wait for about 1 minute until the Module KVV100 + beep three times. Then the uninstall process was successful.
6. Disconnect the KVV100+ from OBDII port.

NOTE: Once the uninstall process, all parameters will be restored with the default values you had before installing the module.

IMPORTANT

- If the vehicle has installed OEM alarm and siren in the control unit of the vehicle, we recommend NOT installing the KVV100, because in many cases the alarm and siren is unconfigured after installing the module.
- In the installation process of Module KVV100+, the access Login of vehicle Comfort Module is changed, so it will be impossible to access the Comfort Module via diagnosis cable with VDS-Pro Software. Only you can access on the Comfort Module of the vehicle by VAG-COM Software. If wants to restore the default login access, you must uninstall the Module KVV100+.

In any case, we recommend that this product be installed under the supervision of somebody with appropriate expertise in vehicle electronics. We are not responsible for improper handling or installation and any damages that may arise to the vehicle because of it.

COMPATIBILITY



Comfort Module

MANUAL EFFECT

CAR MODELS	YEAR	COMFORT MODULE
Volkswagen Golf	1998-2001	1J0 959 799AH/AJ/AR/Q
Volkswagen Bora	1998-2001	1J0 959 799AH/AJ/AR/Q
Volkswagen Passat	2001-2002	1J0 959 799AH/AJ/AR/Q
Volkswagen Jetta	1999-2001	1C0 959 799C
Volkswagen New Beetle	1999-2001	1J0 959 799AH/AJ/AR/Q
Skoda Octavia	2001-2003	1J0 959 799AH/Q

ACTION	RESULT
Hold on the "lock" button	Windows and Sunroof roll up and close while holding button.
Hold on the "unlock" button	Windows will roll down while "unlock" button is held.
Release hold of "unlock" button	Windows will stop rolling down.

AUTOMATIC EFFECT

CAR MODELS	YEAR	COMFORT MODULE
Volkswagen Polo (9N)	2003-2004	6Q0 959 433E/F/H
Volkswagen Golf	2002-2005	1C0 959 799B/C
Volkswagen Bora	2002-2005	1C0 959 799B/C
Volkswagen Passat	2003-2005	1C0 959 799B/C
Volkswagen Jetta	2002-2005	1C0 959 799C
Volkswagen Jetta Wagen	2002-2006	1C0 959 799C
Volkswagen New Beetle	2002-2007	1C0 959 799B/C
Skoda Fabia	2000-2004	6Q0 959 433E/F/H
Skoda Octavia	2001-2007	1C0 959 799A/B/D/F
Skoda SuperB	2002-2007	1C0 959 799B/C
Seat Cordoba/Vario	2003-2004	6Q0 959 433E/F
Seat Ibiza	2003-2004	6Q0 959 433E/F
Seat Leon	2002-2007	1C0 959 799E/F/G
Seat Toledo	2002-2004	1C0 959 799E/F/G

ACTION	RESULT
One touch of the "lock" button	Windows and Sunroof roll up and close automatically.
"lock + lock" (press quickly)	Windows and Sunroof keep their original position.
Hold on the "unlock" button	Windows will roll down while "unlock" button is held.
Release hold of "unlock" button	Windows will stop rolling down.

*** Use only KVV100 + on compatible Comfort modules.